

ISSN : 2082-2082 | E-ISSN : 2087-0943

PSIKOSTUDIA

JURNAL PSIKOLOGI - UNIVERSITAS MULAWARMAN



PROGRAM STUDI PSIKOLOGI - FISIPOL
UNIVERSITAS MULAWARMAN



PSIKOSTUDIA : JURNAL PSIKOLOGI

PROGRAM STUDI PSIKOLOGI | FISIPOL
UNIVERSITAS MULAWARMAN

Jalan Muara Muntai Kampus Gn. Kelua Samarinda 75411



[HOME](#) [ABOUT](#) [LOGIN](#) [REGISTER](#) [SEARCH](#) [CURRENT](#) [ARCHIVES](#) [ANNOUNCEMENTS](#)

[Home](#) > [About the Journal](#) > [Editorial Team](#)

Editorial Team

Chief Editor

Muhammad Ali Adriansyah, Fakultas Ilmu Sosial dan Ilmu Politik, Mulawarman University, Indonesia

Editorial Board

Miranti Rasyid, Fakultas Ilmu Sosial dan Ilmu Politik, Universitas Mulawarman, Indonesia
Dian Dwi Nur Rahmah, Fakultas Ilmu Sosial dan Ilmu Politik, Universitas Mulawarman, Indonesia
Flora Grace Putrianti, Universitas Sarjanawiyata Tamansiswa Yogyakarta, Indonesia
Nur Azis Afandi, Fakultas Ilmu Sosial dan Ilmu Budaya, Universitas Trunojoyo Madura, Indonesia
Rosida Tiurma Manurung, Fakultas Psikologi, Universitas Kristen Maranatha, Indonesia

Department of Psychology
Faculty of Social and Political Sciences
Jl. Muara Muntai Kampus Gn. Kelua Samarinda 75411
Phone: +62 813 35350368
E-Mail: psikostudia@fisip.unmul.ac.id

ADDITIONAL MENU

[FOCUS AND SCOPE](#)

[PUBLICATION ETICS](#)

[AUTHOR GUIDELINES](#)

[PEER REVIEW PROCESS](#)

[OPEN ACCESS POLICY
PROCESS](#)

[COPYRIGHT NOTICE](#)

[PLAGIARISM POLICY](#)

[RETRACTION POLICY](#)

[ARTICLE PROCESSING
CHARGES](#)

[EDITORIAL BOARD](#)



PSIKOSTUDIA : JURNAL PSIKOLOGI

PROGRAM STUDI PSIKOLOGI | FISIPOL
UNIVERSITAS MULAWARMAN

Jalan Muara Muntai Kampus Gn. Kelua Samarinda 75411



[HOME](#) [ABOUT](#) [LOGIN](#) [REGISTER](#) [SEARCH](#) [CURRENT](#) [ARCHIVES](#) [ANNOUNCEMENTS](#)

[Home](#) > [Archives](#) > **Vol 11, No 1 (2022)**

Vol 11, No 1 (2022)

Volume 11, Issue 1, March 2022

DOI: <http://dx.doi.org/10.30872/psikostudia.v11i1>

Table of Contents

Articles

Procrastination Seen from Parents' Social Support and Self Efficacy of Students	EN IN
<i>Fusintia Arofa Nurahmawati, Alf Muarifah, Purwadi Purwadi</i>	1-12
Self-Confidence and Psychological Well-Being on Employability of Vocational High School Students	EN IN
<i>Dinda Khairunnisa, Herlina Sivi Widana, Hadi Suyono</i>	13-21
A New World Behind Bars: The Experience of Dealing with Stressors on Correctional Officer	EN IN
<i>Wicak Mukhabibati, Zainal Abidin</i>	22-33
Psychological Capital and Non-Physical Work Environment on Millennial Generation Employees Work Engagement	EN IN
<i>Arafil Aqmar Rosmy Aprilia, Hairani Lubis, Dian Dwi Nur Rahmah</i>	34-44
The Use of Theory of Planned Behavior Framework in Improving Self-Adherence of Rheumatoid Arthritis Patients	EN IN
<i>Emilia Arliansyah, Puam Fovita Setiawan</i>	45-58
EFT (Emotional Freedom Technique) As An Alternative Therapy To Reduce Anxiety Disorders and Depression in People Who Are Positive Covid-19	EN IN
<i>Triandiana Ruru Tambunan, Linda Suwarni, Linda Setiawati, Marsijan Marsijan</i>	59-68
Job Satisfaction and Marital Satisfaction Work Family Conflict in Mothers Who Work As Teachers	EN IN
<i>Ajisa Suswanto, Edwina Noor Triana Dewayanti Soeharta</i>	69-78

ADDITIONAL MENU

[FOCUS AND SCOPE](#)

[PUBLICATION ETHICS](#)

[AUTHOR GUIDELINES](#)

[PEER REVIEW PROCESS](#)

[OPEN ACCESS POLICY
PROCESS](#)

[COPYRIGHT NOTICE](#)

[PLAGIARISM POLICY](#)

[RETRACTION POLICY](#)


[ARTICLE PROCESSING
CHARGES](#)

[EDITORIAL BOARD](#)

[TEAM REVIEWERS](#)

[INDEXING](#)

[TOOLS](#)



EFT (Emotional Freedom Technique) As An Alternative Therapy To Reduce Anxiety Disorders and Depression in People Who Are Positive Covid-19

Marcelina Boru Tambunan¹, Linda Setiawati², Linda Suwarni³, Mardjan⁴

¹Department of Psychology, Universitas Muhammadiyah Pontianak, Indonesia

^{2,3,4}Department of Public Health, Universitas Muhammadiyah Pontianak, Indonesia

Email: ¹marcelinatambunan29@gmail.com, ²lindasetiawati64@gmail.com,

³linda.suwarni@unmuhpnk.ac.id, ⁴mardjan@unmuhpnk.ac.id

Article Info

Article history:

Received 20/01/2022

Revised 22/02/2022

Accepted 27/02/2022

Keywords:

Covid-19;

Anxiety Disorder;

Depression;

Emotional Freedom Technique

ABSTRACT

The increasing number of deaths from Covid-19 is in line with anxiety disorders and depression in people who are positive for Covid-19. The emotional Freedom Technique (EFT) is known as an effective therapy to reduce mental health disorders in certain patients but has never been applied to people who are confirmed positive for Covid-19. This study aims to analyze the effectiveness of EFT as an alternative therapy in reducing anxiety and depression in people who are positive for Covid-19. This research design uses a quasi-experimental approach with a one-group pretest and posttest approach. A total of 22 people were isolated in the Health Training Unit (UPELKES) provided by the Pontianak Government in June 2021. The data analysis technique used paired t-test (95% CI). There was a significant decrease in anxiety (t value = 6,738) and depression scores (t value = 2,585) after EFT therapy was given (p-value < 0.05). Thus, EFT can be an alternative therapy in overcoming anxiety and depression disorders in people who are confirmed positive for Covid-19.

Corresponding Author :

Linda Suwarni

Department of Public Health, Universitas Muhammadiyah Pontianak, Indonesia

Email: linda.suwarni@unmuhpnk.ac.id

BACKGROUND

Covid-19 that hit the world has caused panic worldwide (Moreno, et al., 2020), including Indonesia. Covid-19 has an impact on mental health, including anxiety disorders (Calvano, et al., 2021; Setiawati, Windi, Tambunan, & Suwarni, 2021; Saurabh & Ranjan, 2020), depression (Orgilés, et al., 2021; Setiawati, Windi, Tambunan, & Suwarni, 2021; Watamura & Koppels, 2020) and so on.

The increase in Covid-19 cases, accompanied by a relatively high death rate, further aggravates the psychology of those who are confirmed positive. Mental health disorders weaken the immune system in the body, which increases the risk of infection (Yang, et al., 2020) dan death (Li, Li, Fortunati, & Krystal, 2020) (Wang, Xu, & Volkow, 2020; Shinn & Viron, 2020). Mental health disorders in the form of anxiety and depression in people with confirmed Covid-19 need to be addressed not to aggravate the existing disease (Khan A. H., et al., 2020).

The emotional Freedom Technique (EFT) combines energy and psychology (Asmawati, Ikhlasia, & Panduragan, 2020). The basic principle of EFT is to send activation and deactivation signals to the brain through stimulation of meridianpoints, usually by tapping (Feinstein, 2019). Tapping acupressure points in traditional Chinese medicine is believed to relax and optimize the body, mind, and emotions (Hartmann, 2016).

EFT has been proven by more than 100 studies that prove its effectiveness in treating physiological and psychological symptoms (Church, 2013; Feinstein, 2012). The efficacy of this EFT has been proven in the student population (Church, 2013; Khan A. H., et al., 2020; Gaesser, 2020), prajurit (Geronilla, Minewiser, Mollon, McWilliams, & Clond, 2016), patients (Bougea , et al., 2013; Ningsih, Karim, & Sabrian, 2016; Lataima, Kurniawati, & Astuti, 2020),

overweight (Stapleton, Bannatyne , Urzi, Porter , & Sheldon, 2016; Stapleton, Church, Sheldon, Porter, & Carlopio, 2013), hospital patient (Boath, Stewart, & Rolling, 2014), athlete (Llewellyn-Edwards & Llewellyn-Edwards, 2012), chemotherapy patient (Baker & Hoffman, 2015) and people who suffer from phobias (Salas , Brooks, & Rowe, 2011; Bach, et al., 2019). Previous studies have also proven that EFT is statistically significant in dealing with psychological distress based on more than 98% of related studies (Rancour, 2017). In addition, it is also significant in reducing anxiety, depression, fatigue, stress management, and fear (Feinstein, 2019; Vural & Aslan, 2019; Sezgin, 2017).

The effect of EFT on medical diagnosis has been the subject of several studies. Chronic disease patients can benefit from holistic health care and research has begun to consider the physiological changes that occur after EFT. A recent qualitative study exploring practitioners' experiences of using EFT to support chronic disease patients showed that while EFT is one technique, "multiple emotions" are present and "physical tap" for pain perception, and negative emotions can increase the perceived intensity and limiting the impact of physical pain is important (Kalla, Simmons, Robinson, & Stapleton, 2018).

EFT has been applied in many areas where individual psychotherapy is impractical, such as after earthquakes and other natural disasters, after terrorist attacks, and refugee camps (Church & House, 2018). Many studies on EFT have been carried out and proven effective in dealing with anxiety and depression but have never been applied to people who are positive for Covid-19. EFT is also predicted to reduce anxiety and depression in people who are positive for Covid-19. The purpose of this study was to determine the effectiveness of EFT in reducing anxiety and

depression in people who are positive for Covid-19.

RESEARCH METHODS

Quasy experimental design was used in this study with a one-group pretest-posttest approach. The subjects of this study were people who were positive for Covid-19 who were isolated in a place provided by the government in Pontianak City, namely the Health Service Unit (Upelkes), in June 2021. The sample in this study was 22 people according to patients isolated in June 2021 (total sampling).

The research was carried out by following strict health protocols by the provisions issued by the government. The intervention in this study was EFT which was carried out offline (for the first time) and online (online using video for four treatments). Measurements were taken before and after four interventions. The duration of the EFT video is 7 minutes 06 seconds (available on youtube with the link: <https://www.youtube.com/watch?v=Aw5ZCtSHpxs&t=38s>). The interventions provided can be seen in the following chart:

Intervensi (Upelkes=22)	PRE	X ₁	X ₂	X ₃	X ₄	Post
----------------------------	-----	----------------	----------------	----------------	----------------	------

Keterangan: x = intervensi (EFT)


The chart above show the flow of the research conducted, namely by first giving the respondent a pretest, then the EFT intervention was carried out on the first day, then 2 days later the third EFT intervention was carried out, and two days later the fourth intervention. Next, posttest measurements were carried out..

The instrument used to measure anxiety disorders using Generalized Anxiety Disorder (GAD), which consists of 7 items with a reliability value of 0.88 (Johnson, Ulvenes, Øktedalen, & Hoffart, 2019) and depression using the Patient Health Questionnaire (PHQ)-9 patient Depression Questionnaire (Kroenke, Spitzer, & Williams, 2001) which consists of 9 items with a reliability value of 0.892 (Sun, et al., 2020).

The data analysis technique used univariate and bivariate. To determine the effectiveness of the EFT method in reducing anxiety and depression in people who are positive for Covid-19 using a paired t-test (95% CI).

RESEARCH RESULT

Based on the characteristics of the research respondents, it was known that most of them are aged 18 to 37 years and have not received the Covid-19 vaccine, and have no history of co-morbidities. The following is a graph that depicts the characteristics of the respondents:



Graph 1. Characteristics of Respondents

Based on the symptoms experienced by the respondents, it showed that most experienced symptoms of cough and or

runny nose, shortness of breath, sore throat, weakness, diarrhea, and loss of smell, while only 22.7% experienced fever.




Figure 2. Symptoms experienced

Bivariate analysis performed using paired t-test, obtained p value <0.05, so it can be concluded that there is a significant difference in anxiety scores (delta mean =

3.455; 95% CI = 2.388-4.521) and depression (delta mean = 1.409; 95%CI = 0.275-2.543) between before and after the EFT intervention (Table 1).

Table 1. Differences in anxiety and depression scores between before and after the EFT intervention

Variable	Delta Mean	95% CI	t	p-value
Anxiety	3,455	2,388-4,521	6,738	0,000
Depression	1,409	0,275-2,543	2,585	0,017

DISCUSSION

Nearly everyone who tested positive for Covid-19 in the study developed symptoms. This finding is in line with several previous studies. The symptoms experienced include fever, cough and/or runny nose, and impaired smell (Garg, Srivastava, & Dhamija, 2020; Utku, et al., 2020; Adhikar, Meng, & Wu, 2020; Setiawati, Windi, Tambunan, & Suwarni, 2021).

included excessive worry due to information

This study also found that the anxiety experienced by positive people for Covid-19

Experienced during Isolation (Pratiwi & Dewi, 2021). Especially for people with the elderly (elderly) because they are more vulnerable and have more impact if they are infected with Covid-19 (Aritonang, Sirait, & Lumbantoruan, 2021). In addition, limited communication with colleagues further increases anxiety (Banerjee, 2020).

The findings of this study also strengthen the evidence that EFT therapy effectively reduces anxiety scores in people who are confirmed positive for Covid-19. Several previous studies also showed the

same result; EFT is significant in reducing the anxiety score of someone who is suffering from a disease (Temple, Allerton, Mollon, & Hospital, 2011; Ningsih, Karim, & Sabrian, 2016; Geronilla, Minewiser, Mollon, & McWilliam, 2016; Bach, et al., 2019; Merida, Febrieta, Husnah, Ria, & Novianti, 2021).

Anxiety is a mental health problem that often occurs when someone experiences disease or suffers from a disease that requires appropriate intervention to worsen a person's condition (König, et al., 2019). Likewise, for people who are confirmed positive for Covid-19, the anxiety that appears is very high because it is a relatively new disease that has emerged with a fairly high mortality rate (Silva, Brito, & Pereira, 2021; Aslaner, Özen, Erten, & Gökçek, 2021). This study strengthens the efficacy of EFT in reducing anxiety after being given the EFT intervention.

In addition to reducing anxiety, EFT also reduces depression scores in people who are confirmed positive for Covid-19. Supported by previous studies that produced relatively similar findings, EFT significantly lowered a person's depression score (Nelms & Castel, 2016; Sebastian & Nelms, 2017; Bach, et al., 2019).

Depression is a psychological disorder characterized by helplessness, hopelessness, and indifference in daily activities that may be accompanied by sleep disturbances, decreased appetite (World Health Organization, 2016). This depression is also experienced by confirmed positive people for Covid-19 because of the high death rate, and the isolation carried out worsens the psychological state (Setiawati, Windi, Tambunan, & Suwarni, 2021; Mazza, et al., 2020; Almira, 2020). News of death from family and colleagues confirmed positive for Covid-19 became factors that exacerbated depression. However, with EFT carried out four times, the treatment could reduce existing depression.

EFT is a therapy that combines cognitive and somatic elements that effectively treat physiological and psychological symptoms (Feinstein, 2012; Church, 2014). This therapy can cause a person to calm down after light tapping on specific points (Bougea, et al., 2013; Shari & Suryani, 2014). EFT therapy given as an intervention in this study impacts diverting the mind to positive things that provide calm so that it can increase the body immunity and accelerate healing of existing diseases (Isworu, Anam, & Indrawati, 2019).

It is known that people who are more worried about being infected with Covid-19 tend to have poor mental health. Discrimination and stigma against Covid-19 further worsened his mental health status (Gumantan, Mahfud, & Yuliandra, 2020; Fan, Qian, & Jin, 2021)

This study enriches the evidence that EFT is an effective intervention in treating mental health disorders, as demonstrated in many previous studies (Patterson, 2016; Bach, et al., 2019). It also shows that EFT simultaneously enhances physiological systems. As hypothesized in this study, participants experienced a significant reduction in anxiety and depression. EFT is an effective intervention in overcoming mental health disorders, as demonstrated in many previous studies. EFT can be applied to people who are confirmed positive for Covid-19 in overcoming anxiety and depression that arise in that person. Thus, EFT can be used as an alternative therapy in overcoming anxiety and depression in people who are confirmed positive for Covid-19. It can accelerate the recovery of that person.

This study has several weaknesses, including that this study did not use a comparison group and did not control for external variables that could affect the anxiety and depression of people who were confirmed positive for Covid-19. In addition, this research is limited to confirmed positive

people for Covid-19 with mild and moderate symptoms who are self-isolating in places provided by the government. Further research needs to be implemented in patients confirmed positive for Covid-19 undergoing treatment at the Covid-19 Referral Hospital.

Despite the weaknesses in this study, this study demonstrates the multidimensional physiological effects of EFT and its usefulness in improving emotional health, which is relatively easy for someone with mild-moderate mental health disorders, especially anxiety and depression.

CONCLUSIONS AND SUGGESTIONS

This study proves that EFT therapy effectively reduces anxiety and depression scores in positive people for Covid-19. EFT can be used as an alternative therapy in overcoming mental health disorders (especially anxiety and depression) to accelerate the recovery of people who are confirmed positive for Covid-19. This EFT therapy can also be used on people who are confirmed to have Covid-19, both those who are self-isolating and those who are hospitalized.

REFERENCES

- Baker, B. S., & Hoffman, C. J. (2015). Emotional Freedom Techniques (EFT) to reduce the side effects associated with tamoxifen and aromataseinhibitor use in women with breast cancer: a service evaluation. *Eur J Integr Med*, 136-142.
- Johnson, S. U., Ulvenes, P. G., Økstedalen, T., & Hoffart, A. (2019). Psychometric Properties of the General Anxiety Disorder 7-Item (GAD-7) Scale in a Heterogeneous Psychiatric Sample. *Front. Psychol*, 1713. DOI: 10.3389/fpsyg.2019.01713.
- Adhikar, S. P., Meng, S., & Wu, V. J. (2020). Epidemiology, causes, clinical manifestation and diagnosis, prevention and control of coronavirus disease (COVID-19) during the early outbreak period: a scoping review. *Infect Dis Poverty*, 29.
- Almira, T. (2020). Depression and Anxiety in Patients with Corona Virus Disease 2019. *Jurnal Penelitian Perawat Profesional*, 355-360.
- Aritonang, J., Sirait, A., & Lumbantoruan, M. (2021). Tingkat Kecemasan Kelompok Lanjut Usia Di Situasi Pandemi Covid-19. *Jurnal Kesehatan Delima Pelamonia*, 26-31.
- Aslaner, H., Özen, B., Erten, Z. K., & Gökçek, M. B. (2021). Death and COVID-19 Anxiety in Home-Quarantined Individuals Aged 65 and Over During the Pandemic. *Omega (Westport)*.
- Asmawati, Ikhlasia, M., & Panduragan, S. L. (2020). The effect of Spiritual Emotional Freedom Technique (SEFT) therapy on the anxiety of NAPZA (narcotics, psychotropic, and other addictive substances) residents. *Enfermería Clínica*, 206-208.
- Bach, D., Groesbeck, G., Stapleton, P., Sims, R., Blickheuser, K., & Church, D. (2019). Clinical EFT (Emotional Freedom Techniques) improves multiple physiological markers of health. *J Evid Based Integr Med*, 1-12.
- Banerjee, D. (2020). Age and ageism in COVID-19: Elderly mental health-care vulnerabilities and needs. *In Asian Journal of Psychiatry*.
- Boath, E., Stewart, T., & Rolling, C. (2014). The impact of EFT and matrix reprogramming on the civilian survivors of war in Bosnia: a pilot study. *Curr Res Psychol*, 64-72.
- Bougea, A. M., Spandideas, N., Alexopoulos, E. C., Thomaidis, T., Chrousos, G. P., & Darviri, C. (2013). Effect of the Emotional Freedom Technique on perceived stress, quality of life, and

- cortisol salivary levels in tension-type headache sufferers: a randomized controlled trial. *Explore*, 91-99.
- Calvano, C., Engelke, L., Di Bella, J., Kindermann, J., Renneberg, B., & Winter, S. M. (2021). Families in the COVID-19 pandemic: parental stress, parent mental health and the occurrence of adverse childhood experiences—results of a representative survey in Germany. *European Child and Adolescent Psychiatry*.
- Church, D. (2013). Clinical EFT as an evidence-based practice for the treatment of psychological and physiological conditions. *Psychology*, 645-654.
- Church, D. (2014). Clinical EFT (Emotional Freedom Techniques) as single session therapy: Cases, research, indications, and cautions. Dalam I. M. (Eds.), *Capturing the moment: Single session therapy and walk-in services* (hal. 299–324). Crown House Publishing Limited.
- Church, D., & House, D. (2018). Borrowing benefits: group treatment with clinical, emotional freedom techniques is associated with simultaneous reductions in posttraumatic stress disorder, anxiety, and depression symptoms. *J Evid Based Integr Med*, 1-4.
- Church, D., & Nelms, J. (2016). Pain, range of motion, and psychological symptoms in a population with frozen shoulder: a randomized controlled dismantling study of clinical EFT (emotional freedom technique's). *Arch Sci Psychol*, 38-48.
- Fan, W., Qian, Y., & Jin, Y. (2021). Stigma, Perceived Discrimination, and Mental Health during China's COVID-19 Outbreak: A Mixed-Methods Investigation. *Journal of Health and Social Behavior*, 562-581.
- Feinstein, D. (2012). Acupoint stimulation in treating psychological disorders: evidence of efficacy. *Rev Gen Psychol*, 364-380.
- Feinstein, D. (2019). Energy psychology: efficacy, speed, mechanisms. *Explore*, 340–351.
- Gaesser, A. H. (2020). Emotional freedom techniques: Stress and anxiety management for students and staff in school settings. *American Psychological Association.*, 283–297.
- Garg, D., Srivastava, A. K., & Dhamija, R. K. (2020). Beyond Fever, Cough and Dyspnea: The Neurology of COVID-19. *J Assoc Physicians India*, 62-66.
- Geronilla, L., Minewiser, L., Mollon, P., & McWilliam, M. (2016). EFT (Emotional Freedom Techniques) remediates PTSD and psychological Symptoms in Veterans: A randomized controlled replication trial. *Energy Psychology*, 29-41.
- Geronilla, L., Minewiser, L., Mollon, P., McWilliams, M., & Clond, M. (2016). EFT (Emotional Freedom Techniques) remediates PTSD and psychological symptoms in veterans: a randomized controlled replication trial. *Energy Psychol Theory Res Treat*, 29-41.
- Gumantan, A., Mahfud, I., & Yuliandra, R. (2020). Tingkat Kecemasan Seseorang terhadap Pemberlakuan New Normal dan Pengetahuan terhadap Imunitas Tubuh. *Sport Science and Education Journal*, 18-27.
- Hartmann, S. (2016). Energy EFT: next-generation tapping & emotional freedom technique. *Pegasus Yayınları; Duru E., İstanbul*, 213-254.
- Isworo, A., Anam, A., & Indrawati, N. (2019). Pengaruh Terapi Emotional Freedom Technique dalam Menurunkan Tekanan Darah pada Lansia Hipertensi. *GASTER*, 154-166.

- Kalla, M., Simmons, M., Robinson, A., & Stapleton, P. (2018). Emotional freedom techniques (EFT) as a practice for supporting chronic disease healthcare: a practitioners' perspective. *Disabil Rehabil*, 1654-1662.
- Khan, A. H., Sultana, M. S., Hossain, S., Hasan, M. T., Ahmed, H. U., & Sikder, M. T. (2020). The impact of Covid-19 pandemic on mental health & wellbeing among home-quarantined Bangladeshi students: A cross-sectional pilot study. *Journal of affective disorders*, 121-128.
- Khan, A. H., Sultana, S., Hossain, S., Hasan, M. T., Ahmed, H. U., & Sikder, T. (2020). The impact of COVID-19 pandemic on mental health & wellbeing among home-quarantined Bangladeshi students: A cross-sectional pilot study. *J Affect Disord*.
- König, N., Steber, S., Seebache, J., von Prittwitz, Q., Bliem, H. R., & Rossi, S. (2019). How Therapeutic Tapping Can Alter Neural Correlates of Emotional Prosody Processing in Anxiety. *Brain Sci*, 206.
- Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: validity of a brief depression severity measure. *Journal of general internal medicine*, 606-613.
- Lataima, N. S., Kurniawati, N. D., & Astuti, P. (2020). Manfaat Emotional Freedom Technique (EFT) Bagi Pasien Dengan Gangguan Kecemasan. *Jurnal Penelitian Kesehatan SUARA FORIKES*, 129-132.
- Llewellyn-Edwards, T., & Llewellyn-Edwards, M. (2012). The effect of Emotional Freedom Techniques (EFT) on soccer performance. *Fidelity*, 14-21.
- Li, L., Li, F., Fortunati, F., & Krystal, J. H. (2020). Association of a Prior Psychiatric Diagnosis With Mortality Among Hospitalized Patients With Coronavirus Disease 2019 (COVID-19) Infection. *JAMA Netw Open*, 1-4.
- Mazza, M. G., Lorenzo, R. D., Conte, C., Poletti, S., Vai, B., Bollettini, I., . . . Benedetti, F. (2020). Anxiety and depression in COVID-19 survivors: Role of inflammatory and clinical predictors. *Brain, Behavior, and Immunity*, 594-600.
- Merida, S. C., Febrieta, D., Husnah, H., Ria, R., & Novianti, R. (2021). Spiritual Emotional Freedom Technique (SEFT) dan Student Well-Being Pada Mahasiswa Semester Akhir. *PSIKOSTUDIA: Jurnal Psikologi*, 133-142.
- Moreno, C., Wykes, T., Galderisi, S., Nordentoft, M., Crossley, N., Jones, N., . . . Arango, C. (2020). How mental health care should change as a consequence of the Covid-19 pandemic. *Lancet Psychiatry*, e16.
- Nelms, J. A., & Castel, L. (2016). A Systematic Review and Meta-Analysis of Randomized and Nonrandomized Trials of Clinical Emotional Freedom Techniques (EFT) for the Treatment of Depression. *Explore (NY)*, 416-426.
- Ningsih, F. S., Karim, D., & Sabrian, F. (2016). Efektivitas terapi Emotional Freedom Technique (EFT) terhadap kecemasan pasien kanker payudara stadium II dan III. *Jurnal Online Mahasiswa*, 1501-1509.
- Orgilés, M., Espada, J. P., Delvecchio, E., Francisco, R., Mazzeschi, C., Pedro, M., & Morales, A. (2021). Anxiety and depressive symptoms in children and adolescents during COVID-19 pandemic: A transcultural approach. *Psicothema*. *Psicothema*, 125-130.
- Patterson, S. L. (2016). The Effects Of Emotional Freedom Technique On Stress And Anxiety In Nursing Students: A Pilot Study. *Nurse Education Today*, 104-110.

- Pratiwi, N. M., & Dewi, N. L. (2021). Gambaran Tingkat Kecemasan Masyarakat Terhadap Pandemi Covid-19. *Jurnal Medika Usada*, 21-32.
- Rancour, B. (2017). The emotional freedom technique finally, a unifying theory for the practice of holistic nursing, or too good to be true. *J Holist Nurs*, 382–388.
- Salas, M. M., Brooks, A. J., & Rowe, J. E. (2011). The immediate effect of a brief energy psychology intervention (Emotional Freedom Techniques) on specific phobias: a pilot study. *Explore (NY)*, 155-161.
- Saurabh, K., & Ranjan, S. (2020). Compliance and Psychological Impact of Quarantine in Children and Adolescents due to Covid-19 Pandemic. *Indian Journal of Pediatrics*, 532–536.
- Sebastian, B., & Nelms, J. (2017). The Effectiveness of Emotional Freedom Techniques in the Treatment of Posttraumatic Stress Disorder: A Meta-Analysis. *Explore (NY)*, 16-25.
- Setiawati, L., Windi, M., Tambunan, M. B., & Suwarni, L. (2021). Gambaran gejala klinis dan gangguan psikologis pasien positif Covid-19 di Kota Pontianak. *MPPKI: Media Publikasi Kesehatan Indonesia*, 401-405.
- Sezgin, N. (2017). The effects of a single emotional freedom technique (EFT) session on an induced stress situation. *DTCF J*, 329–348.
- Shari, W., & Suryani, E. E. (2014). Emotional Freedom Techniques dan Tingkat Kecemasan Pasien yang akan Menjalani Percutaneous Coronary Intervention. *PSIK Fakultas Kedokteran Universitas Sriwijaya*, 133-145.
- Shinn, A. K., & Viron, M. (2020). Perspectives on the COVID-19 pandemic and individuals with serious mental illness. *J Clin Psychiatry*, 81.
- Silva, W. A., Brito, T. R., & Pereira, C. R. (2021). Anxiety associated with COVID-19 and concerns about death: Impacts on psychological well-being. *Personality and Individual Differences*, 176.
- Stapleton, P., Bannatyne, A. J., Urzi, K. C., Porter, B., & Sheldon, T. (2016). Food for thought: a randomised controlled trial of emotional freedom techniques and cognitive behavioural therapy in the treatment of food cravings. *Appl Psychol Health Well Being*, 232-257.
- Stapleton, P., Church, D., Sheldon, T., Porter, B., & Carliopio, C. (2013). Depression Symptoms Improve after Successful Weight Loss with Emotional Freedom Techniques. *ISRN psychiatry*, 573532.
- Sun, Y., Fu, Z., Bo, Q., Mao, Z., Ma, X., & Wang, C. (2020). The reliability and validity of PHQ-9 in patients with major depressive disorder in psychiatric hospital. *BMC Psychiatry*, 474.
- Swinson, R. P. (2006). The GAD-7 scale was accurate for diagnosing generalised anxiety disorder. *Evid Based Med*, 184.
- Temple, G. P., Allerton, C., Mollon, L. P., & Hospital, L. (2011). Reducing anxiety in dental patients using emotional freedom techniques (EFT): A pilot study. *Energy Psychology*, 53-56.
- Utku, A. C., Budak, G., Karabay, O., Guclu, E., Okan, H. D., & Vatan, A. (2020). Main symptoms in patients presenting in the COVID-19 period. *Scottish Medical Journal*, 127–132.
- Vural, P. I., & Aslan, E. (2019). Emotional freedom techniques and breathing awareness to reduce childbirth fear: a randomized controlled study. *Complement Ther Clin Pract*, 224–231.
- Wang, Q., Xu, R., & Volkow, N. D. (2020). Increased risk of COVID-19 infection and mortality in people with mental

- disorders: analysis from electronic health records in the United States. *World Psychiatry*, 124-130.
- Wang, Q., Xu, R., & Volkow, N. D. (2020). Increased risk of COVID-19 infection and mortality in people with mental disorders: analysis from electronic health records in the United States. *World Psychiatry*, 124-130.
- Watamura, S. E., & Koppels, T. (2020). Stress and parenting during the global COVID-19 pandemic. *Child Abuse & Neglect*, 1–14.
- World Health Organization. (2016). *Depression*. available from: https://www.who.int/mental_health/management/depression/en/.
- Yang, H., Chen, W., Hu, Y., Chen Y, Zeng, Y., Sun, Y., . . . Song, H. (2020). Pre-pandemic psychiatric disorders and risk of COVID-19: a UK Biobank cohort analysis. *The Lancet Healthy Longevity*, e69-e79.